


# Kalstein A different accompaniment, at your service

# LABORATORY LINES CHAMBERS





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES

### **Benefits and Support**

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



### Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



#### **Quick Response**

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



#### **Technical Support**

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





#### **Delivery Logistics**

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



#### Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



#### Model Series YR05347 // YR05349



#### **Product Description**

Simulate the day and night light changes and climate conditions, to meet the multi segment ladder programming controlled; can be long-term culture experiment.

Suitable for biological tissue, cells culture, plant culture, small animals and insects feeding to use.

#### **Product Introduction**

- ✓ World famous compressor: balanced refrigeration technology, auto defrost, multiple security system, long time running, environmental protection, high efficiency and energy saving.
- ✓ Auto-defrost function: original rapid heat pump defrost technology, for continuous operation, effectively prevent frost because of continuous operation of evaporator.
- Refrigeration effect manual control system: meet customer's terrible work environment.
- ✓ Imported DuPont SUVA R134 an environmental refrigerant. For cleaner world, for better work condition.
- ✓ To save energy, to reduce the cost.

#### **ALLFLOW Perfect Air Current Cycling**

- ✓ ALLFLOW air current cycling: perfect forced convection, maximum samples number of working room, minimum temperature recovery time after the opening, world famous axial fan, perfect air current design, ensure an ideal result of samples culture.
- ✓ ALLFLOW air current cycling: keep temperature continuous and stable, keep humidity continuous and stable, ensure perfect sample culture environment.

#### **ALLSENS Programmable PID Control:**

- ✓ Integrated, dot-matrix LCD display, Chinese and English subtitles, design for the highest operational comfort.
- Display parameters: temperature, humidity, cycle, run time, run/stop.
- ✓ Adaptive PID controller precisely controls the temperature and humidity, prevent temperature soaring, keep working room temperature stable and uniformity.
- ✓ User password protection, built-in multifunctional memory menu, connect to multiple devices (up to 16 units), real-time monitoring.
- ✓ Programmable multi-sections control, to meet customer needs, temperature and humidity control up to 30 sets. Time setting:0-99h,0-9999m, programs can be executed automatically cycles.
- ✓ Set operations with beep tips



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



#### **Efficient Isolation Design**

- Design of double-layer isolation, reduce power consumption, environmental protection concept, energy conservation.
- ✓ Internal isolated door design, easy observation of working room samples, keep temperature stability of working room.°C

#### **Excellent Imported Sensor**

- ✓ Imported industrial sensor PT100, short response time, low self-heating temperature.
- ✓ Imported humidity sensor, aerospace material, no maintenance, precision humidity control level.

#### **ALLGENT Humidification System**

- Original design of humidification system, prevent disadvantages (non-uniformity, instability) of traditional atomizer design.
- Automatic water intake, automatic water level control, ensure the precision of humidity control.
- Stainless steel SUS304 internal surface and water tank, ensure the quality of atomization and uses persistent.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu



#### Model Series YR05347 // YR05349



#### Pro-Bright™ Professional Lighting Systems

- Equipped with specially design Pro-BrightTM light system in the chamber that can simulate daytime and nighttime natural light, to meet specific lighting conditions.
- Effective compensation of the heat generated by the light, through a sophisticated control system to ensure that the temperature is constant.
- ✓ Three-dimensional light source, evenly distributed lighting, use the stainless-steel mirror as reflective material to make the lighting better, at the same time lighting degree can be adjust.
- Better lighting systems, tube and the chamber are effectively insulated by double glazing and a ventilation hole cooling.
- ✓ With ALLIGENTTM humidification system (only for the Climate Simulation Chamber), provide the product a variety of climate simulations..

#### **Ergonomic Design**

- ✓ Laboratory of classical color design, international fashion design, arc-shaped design, for highest operational comfort.
- ✓ Integrated design that contains original outside handle and LCD screen, ergonomic structure, comfortable viewing angle, convenient to open the outside door and operate interface.
- ✓ Interval and number of mesh shelf can be adjusted according to customer requirements. Maximum capacity to meet customer needs.
- ✓ Comfortable vertical structure, maximize work chamber, working room in the upper, convenient to take.
- ✓ Double door design, easy observation samples, keep temperature stability, with bell-type lighting system.

#### **Modern Manufacturing Processes**

✓ Sheet metal parts use laser cutting and CNC bending technology. Cold-rolled sheets use three line of acidification anti-rust technology. Incubator surface use workmanship of spraying plastics.

#### **Easy to Clean**

- ✓ Internal surface is smooth and less weld, easy cleaning and maintenance.
- Pull multilayer shelf design, less metal accessories, easy to clean.
- Drainage design of chamber humidification collecting tank. User can discharge water as required to avoid bacteria.



#### **Convenient Maintenance**

- ✓ Liquid crystal micro-computer controller with diagnostic function. Display operating parameters including historical record, temperature and humidity data.
- Electrical control components and working room are installed separately. installed behind incubator, easy to maintenance.

#### **Secure and Efficient Protection Concept**

- Multiple over temperature protection function, sound and light alarm.
- Automatic double over temperature protection function.
- ✓ All electronic components are UL certified.
- ✓ All over temperature protection devices meet Germany standard DIN standard D12880 Class 3.1



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu



#### Model Series YR05347 // YR05349





#### **Technical Parameters**

Product model	ALLIGENT-RG Climate Simulation Chamber				
	YR05347	YR05348	YR05349		
Convection Mode	Forced Convection				
Control System	Thirty stages Microprocessor PID controller				
Temp. range	10~65°C(with lighting)/0~60°C(without lighting)				
Temp. Accuracy	0.1				
Temp. Fluctuation (10-40°C)	±1				
Temp. Uniformity (10-40°C)	±1				
Humidity Range	Humidity Range: 50~90%RH, Humidity Fluctuation: ±3%RH				
Illumination Range	0~15000 (five stages adjustable)				



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu



#### Model Series YR05347 // YR05349





#### **Technical Parameters**

Product model	ALLIGENT-RG Climate Simulation Chamber				
	YR05347		YR05348	YR05349	
Timer Range	0∼99 Hours, 0∼9999 minutes, can be choose				
Working environment	Ambient temperature: 10~30°C, Humidity<70%				
Insulation materials	Imported environmental protection type material				
External Dimensions (H×W×D)		1780×710×775	1780×770×815	1828×783×9 05	
Internal Dimensions (H×W×D)		1100×480×480	1100×540×520	1148×554×6 10	
Interior Volume(L)		250	300	400	
Interior steel materials	Interior steel materials				
Power Consumption (W)		1350	1350	1550	
Power Supply	AC220V/50Hz				
Net Weight (KG)		162	183	194	
Shipping Weight (KG)	172		198	214	
Shipping Dimensions (H×W×D)	1965×800×900		1965×860×940	2017×880×1 060	



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu







#LETSGIVEMORE >

# WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



## ANY DOUBT? Contact us!

#### **Articles Kalstein**

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

**Tlf:** +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/



(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

