

LABORATORY SECTOR HOTPLATES AND HOTPLATE STIRRERS









All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





our services Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings In any part of the world, receive your

induction or training from our specialized team of engineers



Quick Response Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💜

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



Delivery Logistics We take care of all the necessar

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.





KALSTEIN® Hotplates and Hotplate Stirrers

Digital Mini Laboratory Magnetic Hotplate Stirrer Model YR02941





#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

www.kalstein.eu

KALSTEIN® Hotplates and Hotplate Stirrers Digital Mini Laboratory Magnetic Hotplate Stirrer Model YR02941

Product Description:

Magnetic stirrers are often used in chemistry and biology. They are preferred over gear-driven motorized stirrers because they are quieter, more efficient, and have no moving external parts to break or wear out (other than the simple bar magnet itself). Because of its small size, a stirring bar is more easily cleaned and sterilized than other stirring devices. They do not require lubricants which could contaminate the reaction vessel and the product. They can be used inside hermetically closed vessels or systems, without the need for complicated rotary seals. Magnetic stirrers may also include a hot plate or some other means for heating the liquid.



Product Features:

- 1 Very compact and simple to operate
- 2 Digital Display temperature and speed, Heating temperature: Rt-380 Degree and mixing speed :100-1800 RPM
- ✓ 3 Heat and corrosion resistant aluminum alloy housing for durability
- ✓ 4 Ceramic coated aluminum heating plate for great heat distribution and corrosion resistance
- ✓ 5 Specially designed housing prevents spill from damaging the electronic components inside
- ✓ 6 Secondary heat insulation plate prevents heat loss and eliminates heat damage to electronic components
- ✓ 7 Adjustable temperature and rotation speed



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



KALSTEIN® Hotplates and Hotplate Stirrers

Digital Mini Laboratory Magnetic Hotplate Stirrer Model YR02941



Technical Description:

Model	YR02941
Top Plate Dimension (mm)	140 x 140
Top Plate Dimension(Inch)	5.51 x 5.51
Temperature Control	PID Auto control .
Top Plate Shape	Round or Square
Top Plate Material	Ceramic
Temperature Range for machine	Ambient to 400 degree.
Max Temperature for top plate	325 degree
Top Material	White ceramics and Black Ceramic are Both available .
Temperature Display (°C)	Digital Display
Temperature control	PID Auto control
Temperature accuracy	
Thermocouple probe /sensor type	PT100, with inner and outer thermocouple.
Stir Speed	100- 1800 RPM
Stir Display	Digital display
Stir speed accuracy	
Permissible Ambient Temperature	Ambient Temperature to 40°C
Voltage	160 – 240V , or 110- 130V.
Heating Power supply (w)	450
Motor Power supply	40 W.DC 20
Machine power supply	500
Stirring Flask Capacity (ml)	50ML – 2L
Overall Dimensions (mm)	
	295 x 190 x 104
(L × W × H)	
Packing Dimension (mm)	350 x 250 x 150
Shipping Weight (kg)	3.5kg.
Shell material	Time molding waterproof and dustproof shell with Anti-static paint



#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier · 75001 Paris • +33 1 78 95 87 9 · +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE

WITH THE **ADCQUISITION OF A KALSTEIN EQUIPMENT**

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org

Humatem Solidarité et coopération biomédicale https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT? Contact us!







PARIS - FRANCE **H E A D Q U A R T E R** 2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu


https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

