







A different accompaniment, at your service



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S.A.S





OUR SERVICES Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings In any part of the world, receive your

induction or training from our specialized team of engineers



Quick Response Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💙

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.









#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

www.kalstein.eu



Product Description:

With safe , precise and controllable PIP (Peak Inspiratory Pressure) and PEEP (Positive End Expiratory Pressure), Pigeon Infant Resuscitators are easy to operate, and can provide temporary breathing support . It is crucial for NICU units , Nurseries, Delivery and Transport System.

- Compact, portable and easy to operate.
- ✓ With a precise manometer, the PIP and PEEP can be monitored easily and accurately.
- ✓ The delivered pressures would not be influenced by the operator's experience ,training ,attention and level of fatigue





#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



CE



YR0AD3000-TPA



Manometer Measures and displays accurate pressures.



MAX-P Control Max pressure setting to make sure safe operation.



Gas Intake Accept and deliver gas from a blender or a flow meter.





PIP Control Easy to set Peak Inspiratory Pressure.



Gas Outlet Allow secure connection of T-piece breathing circuit.



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

Specification

Model Manometer	AD3000-TPA	
Range	-20-100cmH ₂ 0	
Pressure Limitation(MAX-P)	≤60cmH ₂ 0	
Peak Inspiratory Pressure(PIP)	@5 LPM,2 ~ 27 cmH ₂ O @8 LPM,4 ~ 36 cmH ₂ O @10 LPM,6 ~ 42 cmH ₂ O @15 LPM,12 ~ 57 cmH ₂ O	
Positive End Expiratory Pressure (PEEP)	@5 LPM, $0.3 \sim 6 \text{ cmH}_2\text{O}$ @8 LPM, $0.8 \sim 14 \text{ cmH}_2\text{O}$ @10 LPM, $1 \sim 17 \text{ cmH}_2\text{O}$ @15 LPM, $2.5 \sim 23 \text{ cmH}_2\text{O}$	
Recommended Patient Weight	mmended Patient Weight Up to 10KG	





#Letsgivemore Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



www.kalstein.eu

Standard Accessories

Part code	Description
08-01-03-14	T-piece breathing circuit,disposable,1.2m (*Reusable T-piece breathing circuit optional)
08-01-03-98	Gas intake tube,2.5m
06-04-04-06A	Text lung,25mL
10-29-27-02	Included 5 sizes XS(35 mm),1 pc S(42 mm),1 pc M(50 mm),1 pc L(60 mm),1 pc XL(72mm),1 pc





#Letsgivemore Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S




CE

www.kalstein.eu

With built-in air oxygen blender, the flow rate and oxygen concentration can be set without connecting to an external blender or a flow meter. Pigeon Infant Resuscitator YROAD3000-TPB saves space and time from preparation with its innovative and compact design.



Flow Meter Precise and easy adjustment of flow rate from 5-15L/min.



FiO₂ Control Accurate adjustment of oxygen concentration from 21%~100%.





Gas Input On the back of the resuscitator . Allow medical air and oxygen input.



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



Specification		
Model	YROAD3000-TPB	
Flow Rate	5 L/min to 15 L/min	
FiO ₂	21%~100%	
Gas Source Alarm	0.3 ~ 0.4 Pa (3~4 bar)	
Activation	Audible alarm when gas pressure difference>0.1 Pa (1 Bar)	
Manometer Range Pressure	-20-100cmH ₂ O	
Limitation(MAX-P)	≤60cmH ₂ 0	
Peak Inspiratory Pressure(PIP)	@5 LPM,2 ~ 27 cmH ₂ O @8 LPM,4 ~ 36 cmH ₂ O @10 LPM,6 ~ 42 cmH ₂ O @15 LPM,12 ~ 57 cmH ₂ O	
Positive End Expiratory Pressure (PEEP)	$@5 LPM$, $0.3 \sim 6 cmH_2O$ $@8 LPM$, $0.8 \sim 14 cmH_2O$ $@10 LPM$, $1 \sim 17 cmH_2O$ $@15 LPM$, $2.5 \sim 23 cmH_2O$	
Recommended Patient Weight	Up to 10KG	



#Letsgivemore 💚

All rights reserved © KALSTEIN France S. A. S.,

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



Standard Accessories

Part code	Description	
08-01-03-14	T-piece breathing circuit,disposable,1.2m (*Reusable T-piece breathing circuit optional)	
10-29-02-11	Oxygen high pressure tube(blue) Air	
10-29-02-12	high pressure tube(black)	
06-04-04-06A	Text lung,25mL	
10-29-27-02	Included 5 sizes	
	XS(35 mm),1 pc	
	S(42 mm),1 pc	
	M(50 mm),1 pc	
	L(60 mm),1 pc	
	XL(72mm),1 pc	



#Letsgivemore Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



CE

All rights reserved © KALSTEIN France S. A. S.,





#LETSGIVEMORE

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org





ANY DOUBT? Contact us!



Articles Kalstein (Social Networks and Official Websites)





PARIS - FRANCE **H E A D Q U A R T E R** 2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

