


Kalstein A different accompaniment, at your service

LABORATORY SECTOR

PH METERS





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore **

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



KALSTEIN® PH Meters

Online Conductivity Controller

Model YR01839







#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S



KALSTEIN® PH Meters

Online Conductivity Controller

Model YR01839





Product Description:

Online industrial conductivity controller, 1 to 3 point calibration, 4 to 20 mA outputs. The meter is suitable for monitoring conductivity and total dissolved solids (TDS) of water quality.



Characteristics:

- ✓ The inexpensive inline conductivity controller comes with a platinum conductivity electrode.
- ✓ 1 to 3 point calibration with automatic recognition of conductivity standards.
- Selectable cell constant, temperature coefficient and TDS conversion factor.
- ✓ Automatic temperature compensation ensures accurate readings throughout the range.
- ✓ The configuration menu allows you to configure the number of calibration points, alarm limits, hysteresis value, 4 to 20 mA output, etc.
- ✓ The reset function automatically resumes all settings to the factory default values.





#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



KALSTEIN® PH Meters

Online Conductivity Controller

Model YR01839





Technical Description:

| Model | YR01839 |
|--------------------------|--|
| Conductivity | Thereor |
| Range | 0.01 to 20.00, 200.0, 2000µS/cm, 20.00, 200.0mS/cm |
| Resolution | 0.001, 0.01, 0.1, 1 |
| Accuracy | ±1% F.S. |
| Calibration Points | 1 to 3 points |
| Calibration Solutions | 84uS, 1413uS, 12.88mS, 111.8mS |
| TDS | |
| Range | 0 to 10.00, 100.0, 1000ppm, 10.00, 200.0ppt |
| Resolution | 0.01, 0.1, 1 |
| Accuracy | ±1% F.S. |
| TDS Factor | 0.1 to 1.0 (default 0.5) |
| Temperature | |
| Range | 0 to 100°C/32 to 212°F |
| Resolution | 0.1°C/0.1°F |
| Accuracy | ±1°C/±1.8°F |
| Offset Calibration | 1 point |
| Calibration Range | Reading ±10°C |
| Communication | |
| Signal Output | 4 to 20mA |
| Load | Max. 500Ω |
| Low or High Alarm | 0.02uS/cm to 20.0mS/cm, selectable |
| Communication Interface | RS485 |
| Connection Terminals | Detachable screw terminals |
| General Specifications | |
| Temperature Compensation | 0 to 100°C/32 to 212°F, automatic |
| Temperature Coefficient | Linear (0.0 to 10.0%/°C) |
| Reference Temperature | 25°C |
| Cell Constant | K=0.1, 1, 10 |
| Environmental Conditions | Ambient temperature <60°C, relative humidity <80% |
| Power | DC24V |
| Dimensions | 96(L)×96(W)×75(H)mm |
| Weight | |



#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu









#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



Solidarité et coopération biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT?Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/

Kalstein Training Videos

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

