


# Kalstein A different accompaniment, at your service

# **LABORATORY LINES**PORTABLE POTASSIUM ION METER





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S





OUR SERVICES

### **Benefits and Support**

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



### Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



#### **Quick Response**

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#### **#Letsgivemore** ♥

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



#### **Technical Support**

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





#### **Delivery Logistics**

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



#### Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



#### **KALSTEIN® Portable Potassium Ion Meter**

**Model YR01817-13** 





#### **Product Description**

Professional portable potassium ion meter, suitable for outdoor applications, accuracy: 1% F.S.

#### Features:

- ✓ Professional portable potassium ion meter is equipped with a backlit LCD display.
- ✓ 2 to 5 points calibration from low to high concentrations.
- ✓ Selectable 8 concentration calibration points, including the 0.001 to 10000.
- ✓ Selectable concentration units ppm, mg/L and mol/L.







- ✓ Automatic electrode diagnosis shows the calibration points Meter Includes and slopes.
- ✓ Automatic temperature compensation ensures accurate readings over the entire range.
- ✓ Direct ion concentration readout simplifies the measurement process.
- ✓ Auto-Read function senses and locks the measurement endpoint.
- ✓ Calibration due alarm prompts user to calibrate the meter regularly.
- ✓ Auto-Power Off effectively conserves battery life.
- ✓ Setup menu allows setting the number of calibration points. ✓ Ion Standard Solutions: For ion concentration calibration stability criteria, temperature unit, date and time, etc.
- ✓ Reset function automatically resumes all settings back to the factory defaults.
- ✓ Expanded memory stores or recalls up to 500 data sets.
- ✓ USB communication interface for data transfer or connecting a power adapter to meter.

- ✓ ISE-K potassium electrode
- ✓ TP-10K temperature probe
- ✓ Potassium standard solutions 100, 1000 ppm
- ✓ Ionic strength adjuster
- ✓ Carrying case

#### **Optional accessories:**

- ✓ ISE-K Potassium Electrode: Range 0.04 to 39000 ppm
- ✓ TP-10K Temperature Probe: For temperature compensation and measurement
- ✓ Ionic Strength Adjusters: For adjusting the pH and background ionic strength
- ✓ USB Cable: For transferring data or connecting power
- ✓ 5V DC Power Adapter: For connecting external power source

KALSTEIN FRANCE, S. A. S



#### 

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu



#### **KALSTEIN® Portable Potassium Ion Meter**





	Model		YR01817-13
표	Range	-2.000~20.000pH	_
	Resolution	0.001, 0.01, 0.1pH, selectable	_
	Accuracy	±0.002pH	_
	Calibration Points	1 to 5 points	_
	pH Buffer Options	USA, NIST, DIN, 2 custom buffers	_
nol	Range	0.001~19999 (deponding on the range of ISE)	•
	Resolution	0.001, 0.01, 0.1, 1	•
	Accuracy	±0.5% F.S. (monovalent), ±1% F.S. (divalent)	•
	Measurement Units	ppm, mg/L, mol/L, mmol/L	•
	Calibration Points	2 to 5 points	•
	Calibration Solutions	0.001, 0.01, 0.1, 1, 10, 100, 1000, 10000	•
Temperature ORP	mV Range	±1999.9mV	•
	Relative mV Range	±1999.9mV	_
	Resolution	0.1, 1mV, selectable	•
	Accuracy	±0.2mV	•
	Calibration Points	1 point	_
	Range	0~105°C/32~221°F	•
	Resolution	0.1°C/0.1°F	•
	Accuracy	±0.5°C/±0.9°F	•
	Offset Calibration	1 point, reading ±10°C	•
Other Specifications	Temperature Compensation	0~100°C, manual or automatic	•
	Stability Criteria	Low or high	•
	Calibration Due Alarm	1 to 31 days or off	•
	Slope/Offset Display	Yes	•
	Hold Function	Manual or auto-endpoint	•
	Auto-Off	10, 20 or 30 minutes after last key pressed	•
	Memory	500 data sets	•
	Communication Interface	USB	•
	Connector	BNC, 3.5 mm jack socket	•
	Display	Custom LCD (80×60mm)	•
	Power Requirements	3×1.5V AA batteries or DC5V power adapter	•
	Battery Life	Approximately 150 hours (Turn off the backlight)	•
	Dimensions	170 (L) ×85 (W) ×30 (H) mm	•
	Weight	300g	•



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

# WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



Solidarité et coopération biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



## ANY DOUBT? Contact us!

#### **Articles Kalstein**

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

**Tlf:** +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/


#### **Kalstein Training Videos**

(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

